

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Installation	Open Conf. Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Max Private Sector Penalty
Space And Naval Warfare Systems Command 4301 Pacific Highway San Diego, CA 92110	10/1/2014	Referral	Serious	1910.157(e)(2)	Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance Date: 11/13/2014 Abatment date: 12/10/2014 Close Case Date: 1/22/2015 (CLOSED)	\$7,000
Space And Naval Warfare Systems Command 4301 Pacific Highway San Diego, CA 92110	10/1/2014	Referral	Serious	1910.157(e)(3)	Portable fire extinguishers. Inspection, maintenance and testing. The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this record for one year after the last entry or the life of the shell, whichever is less. The record shall be available to the Assistant Secretary upon request.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 2, Responsibilities	Citation Issuance Date: 11/13/2014 Abatment date: 12/10/2014 Close Case Date: 1/22/2015 (CLOSED)	\$7,000
Space And Naval Warfare Systems Command 4301 Pacific Highway San Diego, CA 92110	10/1/2014	Referral	Serious	1910.303(g)(1)(i)(C)	Electrical General Requirements. Approval. 600 Volts, nominal, or less. Space about electric equipment. The work space shall be clear and extend from the grade, floor, or platform to the height required by paragraph (g)(1)(vi) of this section. However, other equipment associated with the electrical installation and located above or below the electric equipment may extend not more than 153 mm (6 in.) beyond the front of the electric equipment.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance Date: 11/13/2014 Abatment date: 12/10/2014 Close Case Date: 1/22/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Regional Fleet Readiness 2089 Terrier Ave, Building 566cdam Neck Annex, Virginia Beach, VA 23461	10/28/2014	Unprogram/Other	Serious	1926.102(a)(1)	Construction. Eye and face protection. General. Employees shall be provided with eye and face protection equipment when machines or operations present potential eye or face injury from physical, chemical, or radiation agents.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment	Citation Issuance Date: 12/03/2014 Abatement date: 12/30/2014 Close Case Date: 1/07/2015 (CLOSED)	\$7,000
Regional Fleet Readiness 2089 Terrier Ave, Building 566cdam Neck Annex, Virginia Beach, VA 23461	10/28/2014	Unprogram/Other	Serious	1926.304(h)(1)	Construction. Woodworking tools. "Hand fed crosscut table saws." Each circular crosscut table saw shall be guarded by a hood which shall meet all the requirements of paragraph (i)(1) of this section for hoods for circular ripsaws.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance Date: 12/03/2014 Abatement date: 12/30/2014 Close Case Date: 1/07/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwy #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.36(f)(2)	Design and construction requirements for exit routes. The capacity of an exit route must be adequate. The capacity of an exit route may not decrease in the direction of exit route travel to the exit discharge.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Navy Exchange 2260 Callaghan Hwy #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.157(e)(3)	<p>Portable fire extinguishers. Inspection, maintenance and testing. The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this record for one year after the last entry or the life of the shell, whichever is less. The record shall be available to the Assistant Secretary upon request.</p>	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 2, Responsibilities	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Clsoe Case Date: 1/16/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwy #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.176(a)	<p>Handling materials - general. Use of mechanical equipment. Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, at loading docks, through doorways and wherever turns or passage must be made. Aisles and passageways shall be kept clear and in good repair, with no obstruction across or in aisles that could create a hazard. Permanent aisles and passageways shall be appropriately marked.</p>	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Clsoe Case Date: 1/16/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwy #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.178(a)(4)	<p>Powered industrial trucks. General requirements. Modifications and additions which affect capacity and safe operation shall not be performed by the customer or user without manufacturers prior written approval. Capacity, operation, and maintenance instruction plates, tags, or decals shall be changed accordingly.</p>	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Clsoe Case Date: 1/16/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Navy Exchange 2260 Callaghan Hwynex #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.178(a)(6)	Powered industrial trucks. General requirements. The user shall see that all nameplates and markings are in place and are maintained in a legible condition.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwynex #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.178(p)(1)	Powered industrial trucks. Operation of the truck. If at any time a powered industrial truck is found to be in need of repair, defective, or in any way unsafe, the truck shall be taken out of service until it has been restored to safe operating condition.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwynex #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1910.305(g)(1)(iv)(A)	Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)	\$7,000
Navy Exchange 2260 Callaghan Hwynex #720 (Bldg. 3379) San Diego, CA 92136	10/30/2014	Complaint	Serious	1926.102(a)(2)	Construction. Eye and face protection. General. Eye and face protection equipment required by this Part shall meet the requirements specified in American National Standards Institute, Z87.1-1968, Practice for Occupational and Educational Eye and Face Protection.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment	Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Navy Exchange 2260 Callaghan Hwynex #720 (Bldg. 3379) San Diego, CA 92136</p>	<p>10/30/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1926.403(b)(1)</p>	<p>Construction. General Requirements. Examination, installation, and use of equipment - Examination. The employer shall ensure that electrical equipment is free from recognized hazards that are likely to cause death or serious physical harm to employees. Safety of equipment shall be determined on the basis of the following considerations: (i) Suitability for installation and use in conformity with the provisions of this subpart. Suitability of equipment for an identified purpose may be evidenced by listing, labeling, or certification for that identified purpose. (ii) Mechanical strength and durability, including, for parts designed to enclose and protect other equipment, the adequacy of the protection thus provided. (iii) Electrical insulation. (iv) Heating effects under conditions of use. (v) Arcing effects. (vi) Classification by type, size, voltage, current capacity, specific use. (vii) Other factors which contribute to the practical safeguarding of employees using or likely to come in contact with the equipment.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 12/08/2014 Abatement Date: 1/05/2015 Close Case Date: 1/16/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.22(a)(1)</p>	<p>General requirements. "Housekeeping." All places of employment, passageways, storerooms, and service rooms shall be kept clean and orderly and in a sanitary condition</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.23(a)(1)</p>	<p>Guarding floor and wall openings and holes. Protection of Floor openings. Every stairway floor opening shall be guarded by a standard railing constructed in accordance with paragraph (e) of this section. The railing shall be provided on all exposed sides (except at entrance to stairway). For infrequently used stairways where traffic across the opening prevents the use of fixed standard railing (as when located in aisle spaces, etc.), the guard shall consist of a hinged floor opening cover of standard strength and construction and</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 10/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.23(c)(1)</p>	<p>Guarding floor and wall openings and holes. "Protection of open-sided floors, platforms, and runways." Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 10/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.24(h)</p>	<p>Fixed industrial stairs. "Railings and handrails." Standard railings shall be provided on the open sides of all exposed stairways and stair platforms. Handrails shall be provided on at least one side of closed stairways preferably on the right side descending. Stair railings and handrails shall be installed in accordance with the provisions of 1910.23.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 10/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	11/5/2014	Complaint	Serious	1910.36(g)(2)	<p>Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 10/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	\$7,000
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	11/5/2014	Complaint	Serious	1910.37(a)(2)	<p>Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized. Exit routes must be arranged so that employees will not have to travel toward a high hazard area, unless the path of travel is effectively shielded from the high hazard area by suitable partitions or other physical barriers.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	\$7,000
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	11/5/2014	Complaint	Serious	1910.253(b)(4)(iii)	<p>Oxygen-fuel gas welding and cutting. Cylinders and containers -Oxygen storage. Oxygen cylinders in storage shall be separated from fuel-gas cylinders or combustible materials (especially oil or grease), a minimum distance of 20 feet (6.1 m) or by a noncombustible barrier at least 5 feet (1.5 m) high having a fire-resistance rating of at least one-half hour.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 7, Hazardous Material Control and Management (HMC&M)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	\$7,000
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	11/5/2014	Complaint	Serious	1910.37(a)(3)	<p>Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized. Exit routes must be free and unobstructed. No materials or equipment may be placed, either permanently or temporarily, within the exit route. The exit access must not go through a room that can be locked, such as a bathroom, to reach an exit or exit discharge, nor may it lead into a dead-end corridor. Signs and signs must be provided.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials;</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439	11/5/2014	Complaint	Serious	1910.101(b)	Compressed gases (general requirements). "Compressed gases." The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965, which is incorporated by reference as specified in Sec. 1910.6.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 7, Hazardous Material Control and Management (HMC&M)	Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)	\$7,000
Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439	11/5/2014	Complaint	Serious	1910.147(c)(4)(i)	The control of hazardous energy (lockout/tagout. General - Energy control procedure. Procedures shall be developed, documented and utilized for the control of potentially hazardous energy when employees are engaged in the activities covered by this section.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)	Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)	\$7,000
Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439	11/5/2014	Complaint	Serious	1910.147(c)(8)	The control of hazardous energy (lockout/tagout. General - Energy isolation. Lockout or tagout shall be performed only by the authorized employees who are performing the servicing or maintenance.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)	Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.147(f)(3)(i)</p>	<p>The control of hazardous energy (lockout/tagout). Additional requirements. Group lockout or tagout. When servicing and/or maintenance is performed by a crew, craft, department or other group, they shall utilize a procedure which affords the employees a level of protection equivalent to that provided by the implementation of a personal lockout or tagout device.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.147(f)(3)(ii)(D)</p>	<p>The control of hazardous energy (lockout/tagout). Additional requirements. Group lockout or tagout. Each authorized employee shall affix a personal lockout or tagout device to the group lockout device, group lockbox, or comparable mechanism when he or she begins work, and shall remove those devices when he or she stops working on the machine or equipment being serviced or maintained.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(c)</p>	<p>Electric Power Generation, Transmission, and Distribution. Job briefing.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(g)(1)</p>	<p>Electric Power Generation, Transmission, and Distribution. Personal protective equipment. General. Personal protective equipment shall meet the requirements of Subpart I of this part.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 20, Personal Protective Equipment</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(d)(2)(i)</p>	<p>Electric Power Generation, Transmission, and Distribution. Hazardous energy control (lockout/tagout) procedures. The employer shall establish a program consisting of energy control procedures, employee training, and periodic inspections to ensure that, before any employee performs any servicing or maintenance on a machine or equipment where the unexpected energizing, start up, or release of stored energy could occur and cause injury, the machine or equipment is isolated from the energy source and rendered inoperative.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(d)(2)(ii) (C)</p>	<p>Electric Power Generation, Transmission, and Distribution. Hazardous energy control (lockout/tagout) procedures. General. The employer's energy control program under paragraph (d)(2) of this section shall meet the following requirements: After November 1, 1994, whenever replacement or major repair, renovation, or modification of a machine or equipment is performed, and whenever new machines or equipment are installed, energy isolating devices for such machines or equipment shall be designed to accept a lockout device.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
--------------------------------------------------------------------------------------------------------------------------------------	------------------	------------------	----------------	--------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(d)(3)(ii)(D)</p>	<p>Electric Power Generation, Transmission, and Distribution. Hazardous energy control (lockout/tagout) procedures. Protective materials and hardware. Lockout devices and tagout devices shall be singularly identified; shall be the only devices used for controlling energy; may not be used for other purposes; and shall meet the following requirements: Tagout devices, including their means of attachment, shall be substantial enough to prevent inadvertent or accidental removal. Tagout device attachment means shall be of a non-reusable type, attachable by hand, self-locking, and nonreleasable with a minimum unlocking strength of no less than 50 pounds and shall have the general design and basic characteristics of being at least equivalent to a one-piece, all-environment-tolerant nylon cable tie.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 24, Energy Control Program (Lockout/Tagout)</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 08/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.269(v)(3)</p>	<p>Electric Power Generation, Transmission, and Distribution. Power generation. This paragraph provides additional requirements and related work practices for power generating plants. Access and working space. The employer shall provide and maintain sufficient access and working space about electric equipment to permit ready and safe operation and maintenance of such equipment by employees.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.303(g)(1)(ii)</p>	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 05/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Naval Submarine Base New London 1 Crystal Lake Road Groton, CT 06439</p>	<p>11/5/2014</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.303(b)(6)</p>	<p>General. Examination, installation, and use of equipment -- Deteriorating agents. Unless identified for use in the operating environment, no conductors or equipment shall be located in damp or wet locations; where exposed to gases, fumes, vapors, liquids, or other agents that have a deteriorating effect on the conductors or equipment; or where exposed to excessive temperatures.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 03/27/2015 Abatement Date: 04/13/2015 Informal Settlement Date: 04/20/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Exchange Distribution Center Bldg. 257, Naval Exchange Roadnaval Base Guam Santa Rita, GU 96915</p>	<p>11/17/2014</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(g)(1)</p>	<p>General requirements. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance Date: 02/17/2015 Abatement Date: 03/12/2015 Close Case Date: 04/03/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Exchange Guam Bldg. 440, Navy Exchange Rd.Naval Base Guam Santa Rita, GU 96915</p>	<p>11/17/2014</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.37(a)(3)</p>	<p>Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized. Exit routes must be free and unobstructed. No materials or equipment may be placed, either permanently or temporarily, within the exit route. The exit access must not go through a room that can be locked, such as a bathroom, to reach an exit or exit discharge, nor may it lead into a dead-end corridor. Stairs or a ramp must be provided where the exit route is not substantially level.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance Date: 02/17/2015 Abatement Date: 03/03/2015 Closed Case Date: 04/03/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering And Expeditionary Warfare Center Naval Inactive Ships Maintenance Office, Middle Loch, Pearl Harbor 93-051 Waipio Access Rd. Waipahu, HI 96797</p>	<p>12/10/2014</p>	<p>Unprogram/Other</p>	<p>Serious</p>	<p>1926.251(c)(1)</p>	<p>Construction. Rigging equipment for material handling. Wire rope. Employers must not use improved plow-steel wire rope and wire-rope slings with loads in excess of the rated capacities (i.e., working load limits) indicated on the sling by permanently affixed and legible identification markings prescribed by the manufacturer.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 31, Weight Handling Safety</p>	<p>Citation Issuance: 06/03/2015 Contested: 06/22/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering And Expeditionary Warfare Center Naval Inactive Ships Maintenance Office, Middle Loch, Pearl Harbor 93-051 Waipio Access Rd. Waipahu, HI 96797</p>	<p>12/10/2014</p>	<p>Unprogram/Other</p>	<p>Serious</p>	<p>1926.251(c)(11)</p>	<p>Construction. Rigging equipment for material handling. Wire rope. Shock loading is prohibited.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 31, Weight Handling Safety</p>	<p>Citation Issuance: 06/03/2015 Contested: 06/22/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering And Expeditionary Warfare Center Naval Inactive Ships Maintenance Office, Middle Loch, Pearl Harbor 93-051 Waipio Access Rd. Waipahu, HI 96797</p>	<p>12/10/2014</p>	<p>Unprogram/Other</p>	<p>Serious</p>	<p>1926.1051(a)</p>	<p>Construction. General requirements. A stairway or ladder shall be provided at all personnel points of access where there is a break in elevation of 19 inches (48 cm) or more, and no ramp, runway, sloped embankment, or personnel hoist is provided</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials</p>	<p>Citation Issuance: 06/03/2015 Contested: 06/22/2015 (OPEN)</p>	<p>\$7,000</p>
<p>Intermediate Maintenance Facility, Puget Sound Naval Shipyard And Bangor Submarine Base 7000 Finback Circle building 7450 Silverdale, WA 98315</p>	<p>12/19/2014</p>	<p>Referral</p>	<p>Serious</p>	<p>1910.213(c)(3)</p>	<p>Woodworking machinery requirements. Hand-fed ripsaws. Each hand-fed circular ripsaw shall be provided with nonkickback fingers or dogs so located as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of materials being cut.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance Date: 02/03/2015 Abatement Date: Unknown Closed Case Date: 02/03/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Intermediate Maintenance Facility, Puget Sound Naval Shipyard And Bangor Submarine Base 7000 Finback Circle building 7450 Silverdale, WA 98315</p>	<p>12/19/2014</p>	<p>Referral</p>	<p>Serious</p>	<p>1910.213(d)(1)</p>	<p>Woodworking machinery requirements. Hand-fed crosscut table saws. Each circular crosscut table saw shall be guarded by a hood which shall meet all the requirements of paragraph (c)(1) of this section for hoods for circular ripsaws.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance Date: 02/03/2015 Abatement Date: Unknown Closed Case Date: 02/03/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Fleet Readiness Center South West Bldg. 379 Coronado, CA 92135	1/8/2015	Planned	Serious	1910.212(a)(1)	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case date: (OPEN)	\$7,000
Fleet Readiness Center South West Bldg. 379 Coronado, CA 92135	1/8/2015	Planned	Serious	1910.213(h)(1)	<p>Woodworking machinery requirements. Radial saws. The upper hood shall completely enclose the upper portion of the blade down to a point that will include the end of the saw arbor. The upper hood shall be constructed in such a manner and of such material that it will protect the operator from flying splinters, broken saw teeth, etc., and will deflect sawdust away from the operator. The sides of the lower exposed portion of the blade shall be guarded to the full diameter of the blade by a device that will automatically adjust itself to the thickness of the stock and remain in contact with stock being cut to give maximum protection possible for the operation being performed.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case date: (OPEN)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Fleet Readiness Center South West Bldg. 379 Coronado, CA 92135	1/8/2015	Planned	Serious	1910.213(h)(2)	Woodworking machinery requirements. Radial saws. Each radial saw used for ripping shall be provided with nonkickback fingers or dogs located on both sides of the saw so as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of material being cut.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case date: (OPEN)	\$7,000
Fleet Readiness Center South West Bldg. 379 Coronado, CA 92135	1/8/2015	Planned	Serious	1910.213(c)(3)	Woodworking machinery requirements. Hand-fed ripsaws. Each hand-fed circular ripsaw shall be provided with nonkickback fingers or dogs so located as to oppose the thrust or tendency of the saw to pick up the material or to throw it back toward the operator. They shall be designed to provide adequate holding power for all the thicknesses of materials being cut.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case date: (OPEN)	\$7,000
Fleet Readiness Center Southwest Bldg. 94 Machine Shop San Diego, CA 92135	1/8/2015	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 04/27/2015 Close Case Date: 06/16/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Fleet Readiness Center Southwest Bldg. 94 Machine Shop San Diego, CA 92135	1/8/2015	Planned	Serious	1910.334(a)(2)(ii)	<p>Use of equipment. Portable electric equipment. This paragraph applies to the use of cord and plug connected equipment, including flexible cord sets (extension cords). Visual inspection. If there is a defect or evidence of damage that might expose an employee to injury, the defective or damaged item shall be removed from service, and no employee may use it until repairs and tests necessary to render the equipment safe have been made.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: 04/27/2015 Close Case Date: 06/16/2015 (CLOSED)	\$7,000
Fleet Readiness Center South West Bldg. 27 High Flight Hour Program Coronado, CA 92135	1/8/2015	Planned	Serious	1910.303(b)(2)	<p>General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 04/01/2015 Abatement Date: Close Case date: 06/16/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center South West Bldg. 27 High Flight Hour Program Coronado, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(g)(2)(i)</p>	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Guarding of live parts. Except as elsewhere required or permitted by this standard, live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by use of approved cabinets or other forms of approved enclosures or by any of the following means: (A) By location in a room, vault, or similar enclosure that is accessible only to qualified persons; (B) By suitable permanent, substantial partitions or screens so arranged so that only qualified persons will have access to the space within reach of the live parts. Any openings in such partitions or screens shall be so sized and located that persons are not likely to come into accidental contact with the live parts or to bring conducting objects into contact with them; (C) By placement on a suitable balcony, gallery, or platform so elevated and otherwise located as to prevent access by unqualified persons; (D) By elevation of 2.44 m (8.0 ft) or more above the floor or other working surface.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: Close Case date: 06/16/2015 (CLOSED)</p>	<p>\$7,000</p>
---------------------------------------------------------------------------------------------------------------	-----------------	----------------	----------------	--------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------	----------------

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center Southwest Bldg. 250 Component Surface San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.215(b)(9)</p>	<p>Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.)</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: 06/17/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center South West Bldg 65p.O. Box 357058 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.37(a)(3)</p>	<p>Maintenance, safeguards, and operational features for exit routes. The danger to employees must be minimized. Exit routes must be free and unobstructed. No materials or equipment may be placed, either permanently or temporarily, within the exit route. The exit access must not go through a room that can be locked, such as a bathroom, to reach an exit or exit discharge, nor may it lead into a dead-end corridor. Stairs or a ramp must be provided where the exit route is not substantially level.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center South West Bldg 65p.O. Box 357058 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(1)</p>	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center South West Bldg 65p.O. Box 357058 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(3)(ii)</p>	<p>General requirements for all machines. Machine guarding. Point of operation guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center South West Bldg 65p.O. Box 357058 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.215(b)(9)</p>	<p>Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.)</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center Southwest Bldg 469 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Program Related</p>	<p>Serious</p>	<p>1910.212(a)(1)</p>	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center Southwest Bldg 469 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Program Related</p>	<p>Serious</p>	<p>1910.212(b)</p>	<p>General requirements for all machines. Anchoring fixed machinery. Machines designed for a fixed location shall be securely anchored to prevent walking or moving.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center Southwest Bldg 469 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Program Related</p>	<p>Serious</p>	<p>1910.213(p)(3)</p>	<p>Woodworking machinery requirements. Sanding machines. Each disk sanding machine shall have the exhaust hood, or other guard if no exhaust system is required, so arranged as to enclose the revolving disk, except for that portion of the disk above the table, if a table is used, which may be necessary for the application of the material to be finished.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center Southwest Bldg 469 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Program Related</p>	<p>Serious</p>	<p>1910.303(g)(1)</p>	<p>General requirements. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center Southwest Bldg 306 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(3)(ii)</p>	<p>General requirements for all machines. Machine guarding. Point of operation guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center Southwest Bldg 306 San Diego, CA 92135</p>	<p>01/08/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.213(p)(3)</p>	<p>Woodworking machinery requirements. Sanding machines. Each disk sanding machine shall have the exhaust hood, or other guard if no exhaust system is required, so arranged as to enclose the revolving disk, except for that portion of the disk above the table, if a table is used, which may be necessary for the application of the material to be finished.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center Southwest Bldg 306 San Diego, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.217(c)(2)(i)(A)</p>	<p>Mechanical power presses. Safeguarding the point of operation - Point of operation guards. Every point of operation guard shall meet the following design, construction, application, and adjustment requirements: It shall prevent entry of hands or fingers into the point of operation by reaching through, over, under or around the guard;</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center South West Bldg. 472 Coronado, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(1)</p>	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Fleet Readiness Center South West Bldg. 472 Coronado, CA 92135</p>	<p>1/8/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.242(b)</p>	<p>Hand and portable powered tools and equipment, general. Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 04/01/2015 Abatement Date: 10/31/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center East, Psc Box 8021 Cherry Point, NC 28533</p>	<p>1/8/2015</p>	<p>Referral</p>	<p>Serious</p>	<p>1960.59(a)</p>	<p>Training of employees and employee representatives. Each agency shall provide appropriate safety and health training for employees including specialized job safety and health training appropriate to the work performed by the employee, for example: Clerical; printing; welding; crane operation; chemical analysis, and computer operations. Such training also shall inform employees of the agency occupational safety and health program, with emphasis on their rights and responsibilities.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 6, Training</p>	<p>Citation Issuance: 02/06/2015 Informal Settlement Date: 02/26/2015 Abatement Date: 05/31/2015 Close Case Date: 06/03/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center East, Psc Box 8021 Cherry Point, NC 28533</p>	<p>1/8/2015</p>	<p>Referral</p>	<p>Serious</p>	<p>1910.212(a)(3)(ii)</p>	<p>General requirements for all machines. Machine guarding. Point of operation guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 02/06/2015 Informal Settlement Date: 02/26/2015 Abatement Date: 05/31/2015 Close Case Date: 06/03/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>United States Department Of The Navy, Naval Facilities Engineering Command Naval Submarine Base New London1 Crystal Lake Road Groton, CT 06439</p>	<p>2/4/2015</p>	<p>Referral</p>	<p>Serious</p>	<p>1910.1025(d)(2)</p>	<p>Lead. Exposure monitoring - Initial determination. Each employer who has a workplace or work operation covered by this standard shall determine if any employee may be exposed to lead at or above the action level.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 21, Lead</p>	<p>Citation Issuance: 07/30/2015 Abatement Date: CloseCase Date: 08/31/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Navfac Portsmouth 175 Ridge Road Cutler, ME 04626</p>	<p>3/16/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.1001(f)(1)(i)</p>	<p>Asbestos. Methods of compliance. -- Engineering controls and work practices. The employer shall institute engineering controls and work practices to reduce and maintain employee exposure to or below the TWA and/or excursion limit prescribed in paragraph (c) of this section, except to the extent that such controls are not feasible</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 17, Asbestos Control</p>	<p>Citation Issuance: 03/30/2015 Abatement Date: 04/23/2015 CloseCase Date: 04/23/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710</p>	<p>3/20/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.132(a)</p>	<p>General requirements. Application. Protective equipment, including personal protective equipment for eyes, face, head, and extremities, protective clothing, respiratory devices, and protective shields and barriers, shall be provided, used, and maintained in a sanitary and reliable condition wherever it is necessary by reason of hazards of processes or environment, chemical hazards, radiological hazards, or mechanical irritants encountered in a manner capable of causing injury or impairment in the function of any part of the body through absorption, inhalation or physical contact.</p>	<p>OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.252(b)(3)	General requirements. Protection of personnel. Protective clothing - General requirements. Employees exposed to the hazards created by welding, cutting, or brazing operations shall be protected by personal protective equipment in accordance with the requirements of 1910.132. Appropriate protective clothing required for any welding operation will vary with the size, nature and location of the work to be performed.	OPNAVINST 5100.23G, Chapter 5, Prevention and Control of Workplace Hazards; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 19, Sight Conservation; Chapter 20, Personal Protective Equipment	Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.178(a)(4)	Powered industrial trucks. General requirements. Modifications and additions which affect capacity and safe operation shall not be performed by the customer or user without manufacturers prior written approval. Capacity, operation, and maintenance instruction plates, tags, or decals shall be changed accordingly.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.178(g)(11)	Powered industrial trucks. Changing and charging storage batteries. Precautions shall be taken to prevent open flames, sparks, or electric arcs in battery charging areas.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.178(l)(1)(i)	Powered industrial trucks. Operator training. Safe operation. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation specified in this paragraph (l).	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.178(q)(1)	<p>Powered industrial trucks. Maintenance of industrial trucks. Any power-operated industrial truck not in safe operating condition shall be removed from service. All repairs shall be made by authorized personnel.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)	\$7,000
Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710	3/20/2015	Complaint	Serious	1910.215(a)(4)	<p>Abrasive wheel machinery. General requirements. Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.</p>	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 07/07/2015 Abatement Date: Close Case Date: 08/05/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710</p>	<p>3/20/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.215(b)(9)</p>	<p>Abrasive wheel machinery. Guarding of abrasive wheel machinery. Exposure adjustment. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch. (See Figures O-18, O-19, O-20, O-21, O-22, and O-23.)</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 07/31/2015 Close Case Date: 08/05/2015 (CLOSED)</p>	<p>7,000</p>
<p>Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710</p>	<p>3/20/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.1200(g)(1)</p>	<p>Hazard Communication. Safety data sheets. Chemical manufacturers and importers shall obtain or develop a safety data sheet for each hazardous chemical they produce or import. Employers shall have a safety data sheet in the workplace for each hazardous chemical which they use.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 08/05/2015 Close Case Date: 08/05/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Navy Exchange West Coast 4250 Eucalyptus Ave Chino, CA 91710</p>	<p>3/20/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1926.451(a)(6)</p>	<p>Construction. "Capacity". Scaffolds shall be designed by a qualified person and shall be constructed and loaded in accordance with that design. Non-mandatory Appendix A to this subpart contains examples of criteria that will enable an employer to comply with paragraph (a) of this section.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 08/05/2015 Close Case Date: 08/05/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943</p>	<p>4/14/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.146(c)(2)</p>	<p>Permit-required confined spaces. General requirements. If the workplace contains permit spaces, the employer shall inform exposed employees, by posting danger signs or by any other equally effective means, of the existence and location of and the danger posed by the permit spaces. NOTE: A sign reading DANGER -- PERMIT-REQUIRED CONFINED SPACE, DO NOT ENTER or using other similar language would satisfy the requirement for a sign.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 27, Confined Space Entry (CSE) Program (Non-Maritime)</p>	<p>Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943</p>	<p>4/14/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.215(a)(4)</p>	<p>Abrasive wheel machinery. General requirements. Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943</p>	<p>4/14/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.253(b)(4)(iii)</p>	<p>Oxygen-fuel gas welding and cutting. Cylinders and containers - Oxygen storage. Oxygen cylinders in storage shall be separated from fuel-gas cylinders or combustible materials (especially oil or grease), a minimum distance of 20 feet (6.1 m) or by a noncombustible barrier at least 5 feet (1.5 m) high having a fire-resistance rating of at least one-half hour.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)</p>	<p>Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943	4/14/2015	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)	\$7,000
Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943	4/14/2015	Planned	Serious	1910.303(e)(1)(i)	General. Marking -- Identification of manufacturer and ratings. Electric equipment may not be used unless the following markings have been placed on the equipment: The manufacturer's name, trademark, or other descriptive marking by which the organization responsible for the product may be identified;	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)	\$7,000
Naval Facilities Engineering Command South West 511 Garden Roadbldg. 426, Rm 011 Monterey, CA 93943	4/14/2015	Planned	Serious	1910.303(g)(1)(ii)	General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards	Citation Issuance: 05/05/2015 Abatement Date: 06/01/2015 Close Case Date: 07/21/2015 (CLOSED)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.36(g)(2)</p>	<p>Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.37(b)(2)</p>	<p>Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. Each exit must be clearly visible and marked by a sign reading "Exit."</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.37(b)(4)</p>	<p>Lighting and marking must be adequate and appropriate. Maintenance, safeguards, and operational features for exit routes. Lighting and marking must be adequate and appropriate. If the direction of travel to the exit or exit discharge is not immediately apparent, signs must be posted along the exit access indicating the direction of travel to the nearest exit and exit discharge. Additionally, the line-of-sight to an exit sign must clearly be visible at all times.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(1)</p>	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.219(d)(1)</p>	<p>Mechanical power-transmission apparatus. Pulleys - Guarding. Pulleys, any parts of which are seven (7) feet or less from the floor or working platform, shall be guarded in accordance with the standards specified in paragraphs (m) and (o) of this section. Pulleys serving as balance wheels (e.g., punch presses) on which the point of contact between belt and pulley is more than six feet six inches (6 ft. 6 in.) from the floor or platform may be guarded with a disk covering the spokes.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.253(b)(4)(iii)</p>	<p>Oxygen-fuel gas welding and cutting. Cylinders and containers - Oxygen storage. Oxygen cylinders in storage shall be separated from fuel-gas cylinders or combustible materials (especially oil or grease), a minimum distance of 20 feet (6.1 m) or by a noncombustible barrier at least 5 feet (1.5 m) high having a fire-resistance rating of at least one-half hour.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 7, Hazardous Material Control and Management (HMC&M)</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Postgraduate School 285 Stone Roadqtrs. N Monterey, CA 93943</p>	<p>4/15/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(g)(1)(ii)</p>	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space required by this standard may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 05/11/2015 Abatement Date: 06/05/2015 Close Case Date: 06/09/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Exchange Mini Mart 937 N. Harbor Drive, Building 1 San Diego, CA 92106</p>	<p>5/12/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(g)(1)</p>	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 07/15/2015 Close Case Date: 08/03/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Naval Exchange Mini Mart 937 N. Harbor Drive, Building 1 San Diego, CA 92106</p>	<p>5/12/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.305(g)(1)(iv)(A)</p>	<p>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Use of flexible cords and cables. Unless specifically permitted otherwise in paragraph (g)(1)(ii) of this section, flexible cords and cables may not be used: As a substitute for the fixed wiring of a structure;</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 07/07/2015 Abatement Date: 07/17/2015 Close Case Date: 08/03/2015 (CLOSED)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Medical Center - San Diego 34800 Bob Wilson Drive San Diego, CA 92134</p>	<p>5/12/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.36(g)(2)</p>	<p>Design and construction requirements for exit routes. An exit route must meet minimum height and width requirements. An exit access must be at least 28 inches (71.1 cm) wide at all points. Where there is only one exit access leading to an exit or exit discharge, the width of the exit and exit discharge must be at least equal to the width of the exit access.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 07/20/2015 Abatement date: 08/13/2015 Close Case Date: 08/18/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Fleet Readiness Center South East Naval Air Station Jacksonville.O. Box 16 (Frcse) Jacksonville, FL 32212</p>	<p>5/18/2015</p>	<p>Referral</p>	<p>Serious</p>	<p>1960.8 (a)</p>	<p>Agency responsibilities. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm.</p>	<p>OPNAVINST 5100.23G, Chapter 2, Responsibilities; Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 07/09/2015 Abatement Date: 08/25/2015 Close Case Date: 08/21/2015 (CLOSED)</p>	<p>\$7,000</p>
<p>Navy Undersea Warfare Center Divison Keyport 610 Dowell Street Keyport, WA 98345</p>	<p>6/30/2015</p>	<p>Complaint</p>	<p>Serious</p>	<p>1910.1025(d)(2)</p>	<p>Lead. Exposure monitoring - Initial determination. Each employer who has a workplace or work operation covered by this standard shall determine if any employee may be exposed to lead at or above the action level.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards; Chapter 21, Lead</p>	<p>Citation Issuance: 09/23/2015 Abatement Date: 08/21/2015 Close Case Date: 08/21/2015 (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command Pwv Portsmouth Naval Facilities Engineering Command Norfolk Naval Shipyard Building 59 Portsmouth, VA 23709</p>	<p>7/13/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(3)(ii)</p>	<p>General requirements for all machines. Machine guarding. Point of operation guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 09/17/2015 Abatement Date: 10/14/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command Pwv Portsmouth Naval Facilities Engineering Command Norfolk Naval Shipyard Building 59 Portsmouth, VA 23709</p>	<p>7/13/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.253(b)(2)(iv)</p>	<p>Oxygen-fuel gas welding and cutting. Cylinders and containers - Storage of cylinders-general. Valve protection caps, where cylinder is designed to accept a cap, shall always be in place, hand-tight, except when cylinders are in use or connected for use.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 09/17/2015 Abatement Date: 10/14/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command PwD Portsmouth Naval Facilities Engineering Command Norfolk Naval Shipyard Building 59 Portsmouth, VA 23709</p>	<p>7/13/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.254(b)(4)(iv)</p>	<p>Arc welding and cutting. Application of arc welding equipment - Design. Terminals for welding leads should be protected from accidental electrical contact by personnel or by metal objects i.e., vehicles, crane hooks, etc. Protection may be obtained by use of: Dead-front receptacles for plug connections; recessed openings with nonremovable hinged covers; heavy insulating sleeving or taping or other equivalent electrical and mechanical protection. If a welding lead terminal which is intended to be used exclusively for connection to the work is connected to the grounded enclosure, it must be done by a conductor at least two AWG sizes smaller than the grounding conductor and the terminal shall be marked to indicate that it is grounded.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 09/17/2015 Abatement Date: 10/14/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------	----------------	----------------	---------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------	----------------

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Facilities Engineering Command PwD Portsmouth Naval Facilities Engineering Command Norfolk Naval Shipyard Building 59 Portsmouth, VA 23709</p>	<p>7/13/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(g)(2)(i)</p>	<p>General. 600 Volts, nominal, or less. This paragraph applies to electric equipment operating at 600 volts, nominal, or less to ground. Guarding of live parts. Except as elsewhere required or permitted by this standard, live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by use of approved cabinets or other forms of approved enclosures or by any of the following means: (A) By location in a room, vault, or similar enclosure that is accessible only to qualified persons; (B) By suitable permanent, substantial partitions or screens so arranged so that only qualified persons will have access to the space within reach of the live parts. Any openings in such partitions or screens shall be so sized and located that persons are not likely to come into accidental contact with the live parts or to bring conducting objects into contact with them; (C) By placement on a suitable balcony, gallery, or platform so elevated and otherwise located as to prevent access by unqualified persons; (D) By elevation of 2.44 m (8.0 ft) or more above the floor or other working surface.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 09/17/2015 Abatement Date: 10/14/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Naval Facilities Engineering Command PwD Portsmouth Naval Facilities Engineering Command Norfolk Naval Shipyard Building 59 Portsmouth, VA 23709</p>	<p>7/13/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.305(g)(2)(iii)</p>	<p>Wiring methods, components, and equipment for general use. Flexible cords and cables -- Flexible cords and cables shall be connected to devices and fittings so that strain relief is provided that will prevent pull from being directly transmitted to joints or terminal screws.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards</p>	<p>Citation Issuance: 09/17/2015 Abatement Date: Close Case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Air Facility El Centro Auto Hobby Shopbldg. 362 El Centro, CA 92243</p>	<p>8/5/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.157(e)(2)</p>	<p>Portable fire extinguishers. Inspection, maintenance and testing. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Naval Air Facility El Centro Auto Hobby Shopbldg. 362 El Centro, CA 92243</p>	<p>8/5/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.157(e)(3)</p>	<p>Portable fire extinguishers. Inspection, maintenance and testing. The employer shall assure that portable fire extinguishers are subjected to an annual maintenance check. Stored pressure extinguishers do not require an internal examination. The employer shall record the annual maintenance date and retain this record for one year after the last entry or the life of the shell, whichever is less. The record shall be available to the Assistant Secretary upon request.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Naval Air Facility El Centro Auto Hobby Shopbldg. 362 El Centro, CA 92243</p>	<p>8/5/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.212(a)(1)</p>	<p>General requirements for all machines. Machine guarding. Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks. Examples of guarding methods are-barrier guards, two-hand tripping devices,electronic safety devices, etc.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)</p>	<p>\$7,000</p>

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

Naval Air Facility EI Centro Auto Hobby Shopbldg. 362 EI Centro, CA 92243	8/5/2015	Planned	Serious	1910.212(a)(5)	General requirements for all machines. Machine guarding. Exposure of blades. When the periphery of the blades of a fan is less than seven (7) feet above the floor or working level, the blades shall be guarded. The guard shall have openings no larger than one-half (1/2) inch.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)	\$7,000
Naval Air Facility EI Centro Auto Hobby Shopbldg. 362 EI Centro, CA 92243	8/5/2015	Planned	Serious	1910.219(d)(1)	Mechanical power-transmission apparatus. Pulleys - Guarding. Pulleys, any parts of which are seven (7) feet or less from the floor or working platform, shall be guarded in accordance with the standards specified in paragraphs (m) and (o) of this section. Pulleys serving as balance wheels (e.g., punch presses) on which the point of contact between belt and pulley is more than six feet six inches (6 ft. 6 in.) from the floor or platform may be guarded with a disk covering the spokes.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)	\$7,000
Naval Air Facility EI Centro Auto Hobby Shopbldg. 362 EI Centro, CA 92243	8/5/2015	Planned	Serious	1910.219(e)(3)(i)	Mechanical power-transmission apparatus. Belt, rope, and chain drives - Vertical and inclined belts. Vertical and inclined belts shall be enclosed by a guard conforming to standards in paragraphs (m) and (o) of this section.	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)	\$7,000
Naval Air Facility EI Centro Auto Hobby Shopbldg. 362 EI Centro, CA 92243	8/5/2015	Planned	Serious	1910.303(b)(2)	General requirements. Examination, installation, and use of equipment -- Installation and use. Listed or labeled equipment shall be installed and used in accordance with any instructions included in the listing or labeling	OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;	Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)	\$7,000

SERIOUS OSHA CITATIONS DON THRU 4TH QUARTER FY-15

<p>Naval Air Facility El Centro Auto Hobby Shopbldg. 362 El Centro, CA 92243</p>	<p>8/5/2015</p>	<p>Planned</p>	<p>Serious</p>	<p>1910.303(b)(7)(iv)</p>	<p>General. Examination, installation, and use of equipment -- Mechanical execution of work. Electric equipment shall be installed in a neat and workmanlike manner. There shall be no damaged parts that may adversely affect safe operation or mechanical strength of the equipment, such as parts that are broken, bent, cut, or deteriorated by corrosion, chemical action, or overheating.</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 09/24/2015 Abatement Date: 10/21/2015 Close case Date: (OPEN)</p>	<p>\$7,000</p>
<p>Navfac Public Works Nas Navy Lodge Building Sda-313aleutz Blvd Norfolk, VA 23511</p>	<p>8/12/2015</p>	<p>Referral</p>	<p>Serious</p>	<p>1910.23(c) (1)</p>	<p>Guarding floor and wall openings and holes. "Protection of open-sided floors, platforms, and runways." Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides,</p>	<p>OPNAVINST 5100.23G, Chapter 11, Inspections and Investigations of Workplaces By Federal and State OSH Officials; Chapter 5, Prevention and Control of Workplace Hazards;</p>	<p>Citation Issuance: 09/11/2015 Abatement Date: 10/07/2015 Close Case Date: (OPEN)</p>	<p>\$7,000</p>